### **Chairs & Stools**

### **General Specification:**

**Seat:** Engage seat is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner seat frame. The seat is then covered with 5" of foam with 1.8 density and a 36 ILD rating.

**Back:** The back is constructed with 4/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner back frame. The back is then covered with 2.5" of foam with 1.8 density and a 24 ILD rating. The back is secured to the seat with T-nuts and 4 bolts.

Arms: are constructed with 4/4, 5/4 and 6/4 Alder hardwood and is glued and stapled. 4/4 hardwood corner blocks are glued and stapled to the inner frame. The arms are then prepared with emelin and covered with 1/2" of foam. Arms are attached to the seat and back frame with T-nuts and 3 bolts. Note: Arms are identified as "right" or "left" from the perspective of one who is seated in the seat.

Tablet Arm: Tablet arm work surface is 3/4" thick. Top of work surface is .050 highpressure laminate with .030 phenolic backer. Work surface is mounted to a powder coated steel tube which is fixed to the seat frame. Edgebanding is 3mm PVC.

**Metal Legs:** Steel post leg is a 16 GA 1-1/2" round 3-1/2"H tube style leg weldment with a 3-1/2" x 3-7/8" steel mounting plate and a 1-7/8" black leveling glide. Customer specifies powder coat color.

**Metal Duo Legs:** Legs are fabricated from 5/16" plate steel and include a curved profile with a square mounting plate. The bottom of each leg is fitted with a threaded weld nut and a 1-7/8" black levelling glide.



**Casters:** Casters are Softec, twin-wheel, 75mm diameter and non-locking. All models that include casters also receive a lift handle mounted to the rear of the seat back.

**Rocker Base:** Two 5/4 Hardwood rails. Thermally Fused Laminate board make up the rocking base. Base is attached to the Engage seat using screws.

**Wood Post Legs:** Wood post 3-1/2" x 3-1/2" with a  $45^{\circ}$  chamfer bottom edge. Posts are attached via 5/16"-18 bolt, washer and propeller nut. Can be finished in any desired wood stain.

#### Model number suffixes for legs, casters and rocker base:

4D – metal Duo legs

2D - 2 Duo legs and 2 casters

4S – 4 metal legs

2S – 2 metal legs and 2 casters 4W – 4 wood legs

2W – 2 wood legs and 2 casters

4C – 4 casters

RB – Rocker Base

**Connectivity Options:** Engage Seating can be fitted with connectivity accessories on the right or left side of the seat. Use the suffix -ER to indicate connectivity location to be the right side or use -EL to indicate connectivity location to be the left side. **Note:** "Right" and "left" are determined from the perspective of one who is seated in the seat.

|                     |                        |               |              |                 |      |            |                |         |         |         |         |         |         |         | Engage  |
|---------------------|------------------------|---------------|--------------|-----------------|------|------------|----------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Model Number        | Base                   | Seat/<br>Back | Seat<br>hgt. |                 | Wgt. | COM<br>Yd. | List<br>Prices |         |         |         |         |         |         |         |         |
|                     |                        |               |              | Arms            |      |            | Grade 1<br>COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Grade 9 |
| EN-3029-(grade)-4D  | 4 Metal Duo            | Uph           | 18"          | Right           | 53   | 5          | \$2,764        | \$2,897 | \$3,145 | \$3,320 | \$3,566 | \$3,745 | \$3,960 | \$4,134 | \$4,344 |
| EN-3029-(grade)-2D  | 2 Metal Duo, 2 Casters |               |              | & Left          |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade)-4S  | 4 Metal                |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade)-2S  | 2 Metal, 2 Casters     |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade)-4W  | 4 Wood                 |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade)-2W  | 2 Wood, 2 Casters      |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade)-4C  | 4 Casters              |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| EN-3029-(grade-)RB  | Rocker Base            | Uph           | 18"          | Right<br>& Left | 53   | 5          | \$2,895        | \$3,029 | \$3,276 | \$3,452 | \$3,697 | \$3,876 | \$4,092 | \$4,266 | \$4,475 |
| ENL-2829-(grade)-4D | 4 Metal Duo            | Uph           | 18"          | Left            | 45   | 3.75       | \$2,534        | \$2,653 | \$2,832 | \$2,974 | \$3,179 | \$3,325 | \$3,480 | \$3,640 | \$3,809 |
| ENL-2829-(grade)-2D | 2 Metal Duo, 2 Casters |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENL-2829-(grade)-4S | 4 Metal                |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENL-2829-(grade)-2S | 2 Metal, 2 Casters     |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENL-2829-(grade)-4W | 4 Wood                 |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENL-2829-(grade)-2W | 2 Wood, 2 Casters      |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENL-2829-(grade)-4C | 4 Casters              |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-4D | 4 Metal Duo            | Uph           | 18"          | Right           | 45   | 3.75       | \$2,534        | \$2,653 | \$2,832 | \$2,974 | \$3,179 | \$3,325 | \$3,480 | \$3,640 | \$3,809 |
| ENR-2829-(grade)-2D | 2 Metal Duo, 2 Casters |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-4S | 4 Metal                |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-2S | 2 Metal, 2 Casters     |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-4W | 4 Wood                 |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-2W | 2 Wood, 2 Casters      |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |
| ENR-2829-(grade)-4C | 4 Casters              |               |              |                 |      |            |                |         |         |         |         |         |         |         |         |

Prices and specifications subject to change without notice





# **Chairs & Stools**





ENATR-2529-2D ENATR-2529-4C

ENAW-3035-4D

|                       |                        |       |      |               |      |     |                |         |         |         |         |         |         | E       | Ingage  |
|-----------------------|------------------------|-------|------|---------------|------|-----|----------------|---------|---------|---------|---------|---------|---------|---------|---------|
| Madel Number          | Dana                   | Seat/ | Seat |               | Wt   | СОМ | List Prices    |         |         |         |         |         |         |         |         |
| Model Number          | Base                   | Back  | hgt. | Arms          | vvt  | Yd. | Grade 1<br>COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | Grade 9 |
| ENA-2529-(grade)-4D   | 4 Metal Duo            | Uph   | 18"  | No            | 34   | 2   | .5 \$2,302     | \$2,411 | \$2,517 | \$2,627 | \$2,791 | \$2,902 | \$3,017 | \$3,135 | \$3,260 |
| ENA-2529-(grade)-2D   | 2 Metal Duo, 2 Casters |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-4S   | 4 Metal                |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-2S   | 2 Metal, 2 Casters     |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-4W   | 4 Wood                 |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-2W   | 2 Wood, 2 Casters      |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-4C   | 4 Casters              |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENA-2529-(grade)-RB   | Rocker Base            | Uph   | 18"  | No            | 34   | 2   | .5 \$2,433     | \$2,543 | \$2,649 | \$2,758 | \$2,923 | \$3,033 | \$3,149 | \$3,267 | \$3,392 |
| ENATL-2529-(grade)-4D | 4 Metal Duo            | Uph   | 18"  | Table         | t 34 | 2   | .5 \$2,708     | \$2,815 | \$2,924 | \$3,031 | \$3,197 | \$3,308 | \$3,420 | \$3,536 | \$3,657 |
| ENATL-2529-(grade)-2D | 2 Metal Duo, 2 Casters |       |      | Arm,<br>Left  |      |     |                |         |         |         |         |         |         |         |         |
| ENATL-2529-(grade)-4S | 4 Metal                |       |      | Lon           |      |     |                |         |         |         |         |         |         |         |         |
| ENATL-2529-(grade)-2S | 2 Metal, 2 Casters     |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATL-2529-(grade)-4W | 4 Wood                 |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATL-2529-(grade)-2W | 2 Wood, 2 Casters      |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATL-2529-(grade)-4C | 4 Casters              |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-4D | 4 Metal Duo            | Uph   | 18"  | Table         | t 34 | 2   | .5 \$2,708     | \$2,815 | \$2,924 | \$3,031 | \$3,197 | \$3,308 | \$3,420 | \$3,536 | \$3,657 |
| ENATR-2529-(grade)-2D | 2 Metal Duo, 2 Casters |       |      | Arm,<br>Right |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-4S | 4 Metal                |       |      | riigin        |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-2S | 2 Metal, 2 Casters     |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-4W | 4 Wood                 |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-2W | 2 Wood, 2 Casters      |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENATR-2529-(grade)-4C | 4 Casters              |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-4D  | 4 Metal Duo            | Uph   | 18"  | No            | 34   | 3   | \$2,286        | \$2,456 | \$2,685 | \$3,037 | \$3,464 | \$3,824 | \$4,226 | \$4,671 | \$5,162 |
| ENAW-3035-(grade)-2D  | 2 Metal Duo, 2 Casters |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-4S  | 4 Metal                |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-2S  | 2 Metal, 2 Casters     |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-4W  | 4 Wood                 |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-2W  | 2 Wood, 2 Casters      |       |      |               |      |     |                |         |         |         |         |         |         |         |         |
| ENAW-3035-(grade)-4C  | 4 Casters              |       |      |               |      |     |                |         |         |         |         |         |         |         |         |

Prices and specifications subject to change without notice















## **Chairs & Stools**

|                     |                        |               |              |        |    |            |                |         |         |         |         |         |         |         | Engage            |
|---------------------|------------------------|---------------|--------------|--------|----|------------|----------------|---------|---------|---------|---------|---------|---------|---------|-------------------|
| Model Number        | Base                   | Seat/<br>Back | Seat<br>hgt. | Arms   | Wt | COM<br>Yd. | Grade 1<br>COM | Grade 2 | Grade 3 | Grade 4 | Grade 5 | Grade 6 | Grade 7 | Grade 8 | List Prie<br>Grad |
| EN-5329-(grade)-4D  | 4 Metal Duo            | Uph           | 18"          | Right  | 75 | 7          | \$3,824        | \$4,119 | \$4,502 | \$4,826 | \$5,255 | \$5,585 | \$5,935 | \$6,309 | \$6,7             |
| EN-5329-(grade)-2D  | 2 Metal Duo, 2 Casters |               |              | & Left |    |            |                |         |         |         |         |         |         |         |                   |
| EN-5329-(grade)-4S  | 4 Metal                |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| EN-5329-(grade)-2S  | 2 Metal, 2 Casters     |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| EN-5329-(grade)-4W  | 4 Wood                 |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| EN-5329-(grade)-2W  | 2 Wood, 2 Casters      |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| EN-5329-(grade)-4C  | 4 Casters              |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-4D | 4 Metal Duo            | Uph           | 18"          | Left   | 65 | 5.75       | \$3,556        | \$3,839 | \$4,165 | \$4,463 | \$4,856 | \$5,156 | \$5,482 | \$5,826 | \$6,              |
| ENL-5129-(grade)-2D | 2 Metal Duo, 2 Casters |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-4S | 4 Metal                |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-2S | 2 Metal, 2 Casters     |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-4W | 4 Wood                 |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-2W | 2 Wood, 2 Casters      |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENL-5129-(grade)-4C | 4 Casters              |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-4D | 4 Metal Duo            | Uph           | 18"          | Right  | 65 | 5.75       | \$3,556        | \$3,839 | \$4,165 | \$4,463 | \$4,856 | \$5,156 | \$5,482 | \$5,826 | \$6,              |
| ENR-5129-(grade)-2D | 2 Metal Duo, 2 Casters |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-4S | 4 Metal                |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-2S | 2 Metal, 2 Casters     |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-4W | 4 Wood                 |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-2W | 2 Wood, 2 Casters      |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENR-5129-(grade)-4C | 4 Casters              |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-4D | 4 Metal Duo            | Uph           | 18"          | No     | 56 | 4.5        | \$3,287        | \$3,557 | \$3,826 | \$4,097 | \$4,457 | \$4,733 | \$5,026 | \$5,335 | \$5,6             |
| ENA-4829-(grade)-2D | 2 Metal Duo, 2 Casters |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-4S | 4 Metal                |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-2S | 2 Metal, 2 Casters     |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-4W | 4 Wood                 |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-2W | 2 Wood, 2 Casters      |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |
| ENA-4829-(grade)-4C | 4 Casters              |               |              |        |    |            |                |         |         |         |         |         |         |         |                   |

|   |                         |  | oet op onarges and openarges for Non-Standard and                           |            |  |  |  |  |  |  |  |
|---|-------------------------|--|---|------------|--|--|--|--|--|--|--|
| Model Number  | Description             |  |   | List Price |  |  |  |  |  |  |  |
| Group 2 Powder Coat   | Set up charge, per col  | Set up charge, per color, per order, for Group 2 Powder Coat   |   |            |  |  |  |  |  |  |  |
| Non-Standard PVC  | Upcharge, per color, pe | Upcharge, per color, per order, for non-standard PVC           |   |            |  |  |  |  |  |  |  |
| Non-Standard HPL  | Upcharge for nonstance  | Upcharge for nonstandard HPL (applies to Bella and Romak only) |   |            |  |  |  |  |  |  |  |
| Required to order: Model # including  | options if applicable   |  |   | DUET       |  |  |  |  |  |  |  |
| <ul> <li>fabric grade and selection</li> <li>powder coat selection</li> </ul> |                         | In-surface, rectangular pa                                     |   |            |  |  |  |  |  |  |  |
| <ul> <li>HPL selection (if applicable)</li> </ul>                             |                         | Model Number   | Description   | List Price |  |  |  |  |  |  |  |
| O and a still it a O atting   |                         | ADUF-1P1UC-72-B  | 1 AC receptacle, 1 USB-A & 1 USB-C port, 72" cord, Black Plate              | \$384      |  |  |  |  |  |  |  |
| Connectivity Option   |                         | ADUF-1P1UC-72-S  | 1 AC receptacle, 1 USB-A & 1 USB-C port, 72" cord, Silver Powdercoat Plate  | \$384      |  |  |  |  |  |  |  |
| 11-12   |                         | ADUF-1P1UC-72-W  | 1 AC receptacle, 1 USB-A & 1 USB-C port, 72" cord, White Plate              | \$384      |  |  |  |  |  |  |  |
|   |                         | ADUF-1P1UC-120-B   | 1 AC receptacle, 1 USB-A & 1 USB-C port, 120" cord, Black Plate             | \$392      |  |  |  |  |  |  |  |
|   |                         | ADUF-1P1UC-120-S   | 1 AC receptacle, 1 USB-A & 1 USB-C port, 120" cord, Silver Powdercoat Plate | \$392      |  |  |  |  |  |  |  |
|   |                         | ADUF-1P1UC-120-W   | 1 AC receptacle, 1 USB-A & 1 USB-C port, 120" cord, White Plate             | \$392      |  |  |  |  |  |  |  |
|   |                         |  |   |            |  |  |  |  |  |  |  |

Prices and specifications subject to change without notice



