



Horizontal Mounting Track

Model Number	Description	Wgt.	List Price
HT-96	Horizontal Mounting Track 96"	10	\$202

• Available in 8' sections • Anodized aluminum



Horizontal Mounting Track End Cap (HTAEC)

Model Number	Description	Wgt.	List Price
HTAEC	1"W x 2.75"L x .25"H	0.2	\$17



Horizontal Mounting Track Connector Splice (HTACS)

Model Number	Description	Wgt.	List Price
HTACS	1.25"W x 3"L x 16 gauge	0.01	\$14



Worksurface Mending Plate (WMP)

Model Number	Description	Wgt.	List Price
WMP	3"W x 3"L	0.25	\$25



Horizontal Mounting Track #12 Screw (HTWS-2)

Model Number	Description	Wgt.	List Price
HTWS-2	#12 x 2" Wood Screw	0.01	\$10



Worksurface Support Bracket (WSB)

Model Number	Description	Wgt.	List Price
WSB	3"W x 3.5"L x 1.5"H	0.5	\$31



Horizontal Mounting Track Anchor Bolt (HTAB)

Model Number	Description	Wgt.	List Price
HTAB-1.5	1/4-20 x 1.5"	0.01	\$11
HTAB-2.5	1/4-20 x 2.5"	0.02	\$11
HTAB-3	1/4-20 x 3"	0.02	\$11



Horizontal Mounting Track Flag Holder (HTAFH)

Model Number	Description	Wgt.	List Price
HTAFH	1"W x 2.75"L x .25"H	0.05	\$70



Horizontal Mounting Track Toggler Anchor (HTDST)

Model Number	Description	Wgt.	List Price
HTDST	1/4-20 anchor x 1.5"W x 3"L	0.02	\$13




Horizontal track PVC Wire Manager (HTAWM)

Model Number	Description	Wgt.	List Price
HTAWM-48	48" Section	2	\$38
HTAWM-96	96" Section	4	\$69




Anchor Bolt Double Expansion (HTDEA-1.25)

Model Number	Description	Wgt.	List Price
HTDEA-1.25	1/4-20 x 1-1/4"	0.01	\$12



Nylon Tipped Set Screw (HTNSS)

Model Number	Description	Wgt.	List Price
HTNSS-.1875	10-32 x 3/16"	0.01	\$12
HTNSS-.25	10-32 x 1/4"	0.01	\$12
HTNSS-.75	10-32 x 3/4"	0.01	\$12



Track Spacer Template (HTSP)

Model Number	Description	Wgt.	List Price
HTSP	53"L x 4"W x .625"H	2	\$269



Utensil Tray (UT48)

Model Number	Description	Wgt.	List Price
UT48	48"W Section	3	\$158

Cork Strip (CS48)

Model Number	Description	Wgt.	List Price
CS48	48"W Section	3	\$103

Cabinet Jack (HCJ)

Model Number	Description	Wgt.	List Price
HCJ-223770-F880)	880 lb. Capacity		\$4,079



Foot operated hydraulic pump, for use with base, wall and tall units, 880 lb. capacity allows loaded or unloaded cabinets to be moved, adjustable width forks, swivel casters with brakes.

P-ELEMENTSTRACKACC-240114



Tote Bin A (TBA-150)

Model Number	Description	Wgt.	List Price
TBA-150	10.75"W x 13.25"D x 3.25"H	1	\$34

Tote Bin B (TBB-160)


Model Number	Description	Wgt.	List Price
TBB-150	10.75"W x 13.25"D x 5.25"H	2	\$36

Tote Bin C (TBC-120)

Model Number	Description	Wgt.	List Price
TBC-120	8.25"W x 13.75"D x 5.75"H	2	\$42

Tote Bin D (TBD-110)

Model Number	Description	Wgt.	List Price
TBD-110	7"W x 8.25"D x 5.75"H	2	\$44




• 1/4" thick



• 3/16" thick clear acrylic

Hook Waterfall (SAWF)


Model Number	Description	Wgt.	List Price
SAWF-B	2"W x 16"L x 3"H	5	\$30
SAWF-C	2"W x 16"L x 3"H	5	\$30
SAWF-W	2"W x 16"L x 3"H	5	\$30



- 3/4" square tube
- Hooks
- Available in 3 finishes

Ball Hook Waterfall (SABW)

Model Number	Description	Wgt.	List Price
SABW-B	2"W x 16"L x 3"H	5	\$30
SABW-C	2"W x 16"L x 3"H	5	\$30
SABW-W	2"W x 16"L x 3"H	5	\$30



- 3/4" square tube
- Ball hooks
- Available in 3 finishes

Small Wire Basket (SASB)

Model Number	Description	Wgt.	List Price
SASB-B	12"W x 6"D x 6"H	2	\$45
SASB-C	12"W x 6"D x 6"H	2	\$45
SASB-W	12"W x 6"D x 6"H	2	\$45



- Extends 6" from wall
- 12" wide, 6" deep
- Available in 3 finishes

Deep Sloping Wire Basket (SADSB)

Model Number	Description	Wgt.	List Price
SADB-B	12"W x 12"D x 8-3"H	3	\$60
SADB-C	12"W x 12"D x 8-3"H	3	\$60
SADB-W	12"W x 12"D x 8-3"H	3	\$60



- Extends 12" from wall
- 12" X 8" X 3"
- Available in 3 finishes

Economy Clear Acrylic Sign Holder (SAESH)

Model Number	Description	Wgt.	List Price
SAESH-57	5.5"W x 7"H	1	\$25
SAESH-811	8"W x 11"H	1	\$57
SAESH-1117	11"W x 17"H	2	\$57
SAESH-1711	17"W x 11"H	2	\$57



Clear Acrylic Sign Holder (SASH)

Model Number	Description	Wgt.	List Price
SASH-57	5.5"W x 7"H	1	\$47
SASH-811	8"W x 11"H	1	\$92
SASH-1117	11"W x 17"H	2	\$92
SASH-1711	17"W x 11"H	2	\$92

Clear Acrylic Tilting "J" Racks (SAR24)

Model Number	Description	Wgt.	List Price
SAR24	5.25"D x 24"L	2	\$91


Single Pocket Literature Holder (SASP)

Model Number	Description	Wgt.	List Price
SASP-49	4"W x 9"H	1	\$39
SASP-811	8"W x 11"H	1	\$64



Three Pocket Literature Holder (SATP)

Model Number	Description	Wgt.	List Price
SATP	8.5"W x 11"H	3	\$139



Clear Acrylic Shelf (SAS)

Model Number	Description	Wgt.	List Price
SAS12	6"W x 12"L x .25"H	2	\$57
SAS16	6"W x 16"L x .25"H	2	\$64



Slatwall Plastic Bin

Model Number	Description	Wgt.	List Price
SPB	10"W x 12"L x 3"H	2	\$47



CPU Holder (ACPU-CS-10)

Model Number	Description	Wgt.	List Price
ACPU-CS-10	5.25-9.25"W x 15.375-21"H	10	\$196



P-ELEMENTSTRACKACC-240114



Rotating CPU Holder (ACPU-CS-11)				
Model Number	Description	Wgt.	List Price	
ACPU-CS-11	5.25-9.25"W x 15.375-21"H	12	\$243	



Sliding Keyboard Tray (AAKT001)				
Model Number	Description	Wgt.	List Price	
AAKT001	22.75"W x 12"D	7	\$137	



Articulating Keyboard Mechanism (AAKT003)				
Model Number	Description	Wgt.	List Price	
AAKT003	30"W x 20"D x adj. height	20	\$456	



Pencil Drawer (MCD1817)				
Model Number	Description	Wgt.	List Price	
MCD1817	18"W x 17"D x 2"H	10	\$458	

Task Light (TL)				
Model Number	Description	Wgt.	List Price	
TL-18	6"W x 18"L x 2"H	3	\$366	
TL-22	6"W x 22"L x 2"H	3	\$383	
TL-24	6"W x 24"L x 2"H	4	\$388	
TL-28	6"W x 28"L x 2"H	4	\$402	
TL-34	6"W x 34"L x 2"H	5	\$413	
TL-36	6"W x 36"L x 2"H	5	\$425	
TL-40	6"W x 40"L x 2"H	6	\$472	
TL-46	6"W x 46"L x 2"H	6	\$482	
TL-48	6"W x 48"L x 2"H	7	\$486	
TL-60	6"W x 60"L x 2"H	9	\$702	

Horizontal Mounting Track Flag Holder (HTAFH)				
Model Number	Description	Wgt.	List Price	
HTAFH	1"W x 2.75"L x .25"H	0.05	\$70	

Horizontal Mounting Track				
Model Number	Description	Wgt.	List Price	
HT-96	Horizontal Mounting Track 96"	10	\$202	

Horizontal Mounting Track End Cap (HTAEC)				
Model Number	Description	Wgt.	List Price	
HTAEC	1"W x 2.75"L x .25"H	0.2	\$17	

Horizontal track PVC Wire Manager (HTAWM)				
Model Number	Description	Wgt.	List Price	
HTAWM-48	48" Section	2	\$38	
HTAWM-96	96" Section	4	\$69	

Horizontal Mounting Track Connector Splice (HTACS)				
Model Number	Description	Wgt.	List Price	
HTACS	1.25"W x 3"L x 16 gauge	0.01	\$14	

Worksurface & Counter Support Arm (WSCSA)				
Model Number	Description	Wgt.	List Price	
WSCSA9L-C-T	Left, Single Arm, 9" Wide Assembly		\$176	
WSCSA9R-C-T	Right, Single Arm, 9" Wide Assembly		\$176	
WSCSA24-C-T	Dual Arm, 24" Wide Assembly		\$360	
WSCSA36-C-T	Dual Arm, 36" Wide Assembly		\$373	
WSCSA48-C-T	Dual Arm, 48" Wide Assembly		\$439	

Worksurface Mending Plate (WMP)				
Model Number	Description	Wgt.	List Price	
WMP	3"W x 3"L	0.25	\$25	

Worksurface Support Bracket (WSB)			
Model Number	Description	Wgt.	List Price
WSB	3"W x 3.5"L x 1.5"H	0.5	\$31

Horizontal Mounting Track Toggler Anchor (HTDST)			
Model Number	Description	Wgt.	List Price
HTDST	1/4-20 anchor x 1.5"W x 3"L	0.02	\$13

Horizontal Mounting Track Anchor Bolt (HTAB)			
Model Number	Description	Wgt.	List Price
HTAB-1.5	1/4-20 x 1.5"	0.01	\$11
HTAB-2.5	1/4-20 x 2.5"	0.02	\$11
HTAB-3	1/4-20 x 3"	0.02	\$11

Horizontal Mounting Track #12 Screw (HTWS-2)			
Model Number	Description	Wgt.	List Price
HTWS-2	#12 x 2" Wood Screw	0.01	\$10

Anchor Bolt Double Expansion (HTDEA-1.25)			
Model Number	Description	Wgt.	List Price
HTDEA-1.25	1/4-20 x 1-1/4"	0.01	\$12

Nylon Tipped Set Screw (HTNSS)			
Model Number	Description	Wgt.	List Price
HTNSS-.1875	10-32 x 3/16"	0.01	\$12
HTNSS-.25	10-32 x 1/4"	0.01	\$12
HTNSS-.75	10-32 x 3/4"	0.01	\$12

Track Spacer Template (HTSP)			
Model Number	Description	Wgt.	List Price
HTSP	53"L x 4"W x .625"H	2	\$269

**TERMS & CONDITIONS**

Prices: All prices are F.O.B. the factory. Prices and specifications are subject to change without notice. Prices do not include applicable taxes, special handling or installation charges. Possession of a price list is not an offer to or agreement to sell. We reserve the right to change prices without notice. We are not responsible for typographical errors. In the event a price or description is found to be incorrect, the correct information will be communicated to you when the order is received.

Credit Terms: Open account status is only granted after a completed credit application is received and approved.

Payment Terms: Terms for open account are net 30 days. Terms for orders without open account will be determined by Silver Street, Incorporated on an order-by-order basis and may require prepayment or a 50% deposit with order and the balance prepaid before shipment.

Orders: Orders must be in writing. Faxed orders are acceptable. Processing of orders will not begin until a signed acknowledgment is received.

Acknowledgments: Orders are accepted, manufactured and invoiced based on written acknowledgments issued by Silver Street, Incorporated. All orders are considered correct as acknowledged. Notify Silver Street, Incorporated immediately of any order discrepancies. Acknowledged orders may not be changed or canceled without written consent from Silver Street, Incorporated.

Changes to orders: Changes to orders already in process may be subject to a fee covering the cost to make the requested change. If a fee is necessary a written authorization of acceptance will be required. All requests for changes are subject to approval by Silver Street, Incorporated.

Cancellation of orders: All orders received by Silver Street, Incorporated are considered firm and cannot be canceled without our approval. A cancellation fee may be required based upon cost incurred by Silver Street, Incorporated prior to receipt of a cancellation request.

Returns: Returns are not accepted without a Return Goods Authorization issued by Silver Street, Incorporated. Unauthorized returns will not be accepted. Returns may be subject to a restocking fee.

Shipping Terms: All orders will be shipped F.O.B. shipping point with freight charged collect. Shipping weights listed are net.

Routing: Shipments will be routed "best way" or as specified. Instructions will be followed as closely as possible, however, Silver Street, Incorporated reserves the right to make changes due to local conditions or other circumstances.

Freight Damage: Legal title to merchandise passes to the buyer upon acceptance by the carrier. All cartons must be carefully inspected at the time of delivery. Visible damage should be noted on the delivery receipt. In the case of concealed damage, the carrier must be notified within (5) days. It is the buyer's obligation to seek recourse against the shipper.

Shortages: Shipments should be inspected upon receipt for shortages. Shortages must be reported to Silver Street, Incorporated in writing within (5) days of receipt.

Shipping Address: **mediatechnologies™**
A division of Silver Street, Inc.
892 Industrial Park Drive
Shelby, MI 49455

Warranty: All items manufactured by Silver Street, Incorporated, home of mediatechnologies® and Elements by mediatechnologies are guaranteed against defects for a period of five (5) years from the date of purchase. We will repair or replace, in our discretion, any defective item without cost to our customer. This is customer's sole and exclusive remedy against us. No delay in shipment or delivery shall give rise to any liability for damages whatsoever. We are not liable for defects caused by customer or any third party. Customer is not authorized to make any repairs whatsoever or to deduct any amount from the purchase price. In no event shall our liability under this warranty exceed the purchase price. In no event shall we be liable for incidental, special or consequential damages. We disclaim all other warranties, express or implied, as to any matter whatsoever, including without limitation, quality, design, performance, specifications, samples, condition, merchantability and fitness for any particular purpose. No action may be commenced for breach of the warranty more than six months after the cause of action accrues and any such action may only be brought in the county of Oceana, State of Michigan.

elements

is a registered trademark of Silverstreet Incorporated.

U.S. Patent # 8,434,835 B2

P-ELEMENTSTRACKACC-240114